

ILLUSION DENTAL LABORATORY PVT. LTD.

Order Form

Doctor's Name :

Due Date :

Ceramic Restoration/Alloy Choice

- Non Precious Nickel Free
 Precious

Case Design

- Porcelain Porcelainfacing
 Maryland Bridge
 Metal Free
 Vita - Inceram
 Veenar/ Laminate
 Implant Implant Bar
 Precision Attachment

Finishing Instructions


- Metal Try In Bisque Finish
 Direct Finish
 Cast Partial Frame Work
 Bilateral
 Cast Case



402, Akruti Arcade, J.P Road, Near Andheri Sports Complex, Andheri(W), Mumbai, India - 400058.
 Tel : [00 91 22] 56963058 / 56963059
 Fax : [00 91 22] 56998868
 Email id : illusiondental@rediffmail.com
 Website : http://www.illusiondentallab.com/

No of Units

8	7	6	5	4	3	2	1	1	2	3	4	5	6	7	8
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	7	6	5	4	3	2	1	1	2	3	4	5	6	7	8
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



- Mamelons
 Incisal Translucent
 Crack Line



Pontic Design

- | | | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| | | | | | |
| Full Ridge | Partial Ridge | No Ridge | Point Contact | No Contact | Ovate Pontic |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Patient's Name :

Age: Sex:

Patients Shade Desiers

- Vitapan Classic
 Chromascop
 Vitapan 3D -Master
 Other

Surface Texture Luster

- Less Defined Smooth
 Matte Coarse Gloss

Implant Information

Type of Implant

Implant Size

Veneers : Purpose of Veneers

- Diastema Closer
 Correct Malalignment
 Increase Length Change Colour

Color of Prepared Teeth

- (Place Indicate on Drawing)
 Tetracycline Severe
 Hypocalcification

Shade Characterisation

- Shade Prepared Teeth
 Shade of Veneer
 Incisors Canines

Proximal Finish Line

- (Place Indicate location of Proximal Finish Line)
 Lingual Proximal Labial

Note : All finishing lines must be undercut free. Procelain veneer's have a labial or incisal labial path of Insertion

Doctor Name

Expected Date: