

# ILLUSION DENTAL LABORATORY PVT. LTD.

## Order Form

Doctor's Name :

Due Date :

**Ceramic Restoration/Alloy Choice**

- Non Precious    Nickel Free  
 Precious

**Case Design**

- Porcelain    Porcelainfacing  
 Maryland Bridge  
 Metal Free  
 Vita - Inceram  
 Veenar/ Laminate  
 Implant    Implant Bar  
 Precision    Attachment

**Finishing Instructions**


- Metal Try In    Bisque Finish  
 Direct Finish  
 Cast Partial Frame Work  
 Bilateral  
 Cast Case



402, Akruti Arcade, J.P Road, Near Andheri Sports Complex, Andheri(W), Mumbai, India - 400058.  
 Tel : [00 91 22] 56963058 / 56963059  
 Fax : [00 91 22] 56998868  
 Email id : illusiondental@rediffmail.com  
 Website : http://www.illusiondentallab.com/

**No of Units**

8	7	6	5	4	3	2	1	1	2	3	4	5	6	7	8
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	7	6	5	4	3	2	1	1	2	3	4	5	6	7	8
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



- Mamelons  
 Incisal Translucent  
 Crack Line



**Pontic Design**

- |                          |                          |                          |                          |                          |                          |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
|                          |                          |                          |                          |                          |                          |
| Full Ridge               | Partial Ridge            | No Ridge                 | Point Contact            | No Contact               | Ovate Pontic             |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Patient's Name :

Age:  Sex:

**Patients Shade Desiers**

- Vitapan Classic  
 Chromascop  
 Vitapan 3D -Master  
 Other

**Surface Texture Luster**

- Less Defined    Smooth  
 Matte    Coarse    Gloss

**Implant Information**

Type of Implant

Implant Size

**Veneers : Purpose of Veneers**

- Diastema Closer  
 Correct Malalignment  
 Increase Length    Change Colour

**Color of Prepared Teeth**

- (Place Indicate on Drawing)  
 Tetracycline    Severe  
 Hypocalcification

**Shade Characterisation**

- Shade Prepared Teeth  
 Shade of Veneer  
 Incisors    Canines

**Proximal Finish Line**

- (Place Indicate location of Proximal Finish Line)  
 Lingual    Proximal    Labial

Note : All finishing lines must be undercut free. Procelain veneer's have a labial or incisal labial path of Insertion

Doctor Name

Expected Date: